Profishop für SLV Leuchten

BIG WHITE®
2027

SLV LIGHTING CATALOGUE



INDEX ALPHABETISCH

profishop.online
powered by

1-PHASEN

1~ SYSTEM AUFBAUSCHIENE 1PH. 481
1~ SYSTEM AUFBAUSCHIENE 1PH., ZUBEHÖR 482, 483
1~ SYSTEM AUFBAUSCHIENE 1PH., 2 M 485
1~ SYSTEM AUFBAUSCHIENE 1PH., 2 M, ZUBEHÖR 485

3-PHASEN

EUTRAC® 3PH., AUFBAUSCHIENE, 2 M 549
EUTRAC® 3PH., AUFBAUSCHIENE, 2 M, ZUBEHÖR 550, 551
EUTRAC® 3PH., EINBAUSCHIENE, 3M 553
EUTRAC® 3PH., EINBAUSCHIENE, 3M, ZUBEHÖR 553
S-TRACK 3 PHASEN AUFBAUSCHIENE, ON/OFF 537
S-TRACK 3 PHASEN AUFBAUSCHIENE, ON/OFF, ZUBEHÖR 538, 539
S-TRACK 3 PHASEN AUFBAUSCHIENE, PHASE & DALI 541
S-TRACK 3 PHASEN AUFBAUSCHIENE, PHASE & DALI. ZUBEHÖR 542, 543
S-TRACK 3-PHASEN-EINBAUSCHIENE, PHASE & DALI 545
S-TRACK 3-PHASEN-EINBAUSCHIENE, PHASE & DALI, ZUBEHÖR 547

48V-SYSTEME

48V SYSTEM TRACK AUFBAUSCHIENE STANDARD, DALI 424
48V SYSTEM TRACK AUFBAUSCHIENE STANDARD, DALI, ZUBEHÖR 428, 429
48V SYSTEM TRACK AUFBAUSCHIENE STANDARD, GEBOGEN, DALI 426
48V SYSTEM TRACK AUFBAUSCHIENE TIEF, DALI 430
48V SYSTEM TRACK AUFBAUSCHIENE TIEF, DALI, ZUBEHÖR 432, 433
48V SYSTEM TRACK EINBAUSCHIENE, DALI 434
48V SYSTEM TRACK EINBAUSCHIENE, DALI, ZUBEHÖR 436, 437

A

ABRIDOR 100 POLE 725
ABRIDOR 60 POLE 725
ABRIDOR HYBRID 100 POLE 724
ABRIDOR HYBRID 60 POLE 724
ABRIDOR HYBRID WL 843
ABRIDOR SENSOR WL 843
ABRIDOR WL 843
ADEGAN FL, FLAT SOLAR 641
ADEGAN FL, SOLAR 641
ADI EL 866
AINOS CW 858
AINOS CW, QUADRATISCH 859
AINOS CW, SENSOR 859
AINOS CW, SENSOR, QUADRATISCH 859
AINOS SLIDE WL, ROUND, PHASE 775
AINOS SLIDE WL, ROUND, SENSOR 775
AINOS SLIDE WL, SQUARE, PHASE 774
AINOS SLIDE WL, SQUARE, SENSOR 775
AKALO D83 EL 115
ALEGRIA 75 POLE, TRIAC 645
ALEGRIA WL, TRIAC 773
ALPA CONE 100 POLE, E27 709
ALPA MUSHROOM 45 POLE, E27 709
ALPA MUSHROOM 75 POLE, E27 709
ALTRA DICE CL, QPAR51 151
ALTRA DICE CW, DOUBLE, QPAR51 151, 385
ALTRA DICE TRACK 1PH., QPAR51 529
ANGOLUX SENSOR WL 835
ANGOLUX WL 835
APONI 120 POLE, PHASE 711
APONI 90 POLE, PHASE 710
ARLINA 130 WL 317
ARLINA 60 WL 317
ARROCK ARC POLE, QPAR51 694
ARROCK GRANITE 40 POLE, SQUARE, E27 694
ARROCK GRANITE 70 POLE, SQUARE, E27 694
ARROCK SLOT POLE, QPAR51 695
ARROCK STONE 50 POLE 695
ARROCK STONE 75 POLE 695
ASMARA LV, QR-C51 475
ASSO 300 WL, PHASE 348, 349
ASTINA STEEL WL, QPAR51 834
ASTINA WL, QPAR51 834
ASTO TUBE 1PH., GU10 523
ASTO TUBE 1PH., PD, GU10 523
ASTO TUBE CL, SINGLE, GU10 149
ASTO TUBE CW, DOUBLE, GU10 381
ASTO TUBE CW, GU10 381
ASTO TUBE CW, QUADRUPLE, GU10 381
ASTO TUBE CW, SINGLE, GU10 381
ASTO TUBE CW, TRIPLE, GU10 381
ASTO TUBE DEKOREFLEKTOR 149, 247, 331, 381, 523
ASTO TUBE PD, DOUBLE, GU 10 247
ASTO TUBE PD, GU 10 247
ASTO TUBE PD, QUADRUPLE, GU 10 247
ASTO TUBE PD, SINGLE, GU 10 247
ASTO TUBE PD, TRIPLE, GU 10 247
ASTO TUBE WL, SINGLE, GU10 331
ASTO TUBE WL, UP/DOWN, GU10 331

B

BASKET WL, E27 353
BATTEN 120 CW 395
BATTEN 60 CW 395
BIG NAILS 50 POLE, E27 712
BIG NAILS 80 POLE, E27 712
BIG NAUTILUS SP, RUND, QPAR51 743
BIG PLOT ABDECKUNG, 2ER 889
BIG PLOT ABDECKUNG, 4ER 889
BIG PLOT MODULE 889
BIG QUAD UP/DOWN WL 810
BIG QUAD WL 810
BIG THEO CL 761
BIG THEO CL, QPAR111 761
BIG THEO FLOOD WL, UP/DOWN 796
BIG THEO UP/DOWN WL, QPAR111 796
BIG THEO WL 797
BIG THEO WL, BEAM UP FLOOD DOWN 795
BIG THEO WL, QPAR111 797
BIMA 2.0 1PH., DOUBLE, QPAR51 503
BIMA 2.0 1PH., SINGLE, QPAR51 503
BIMA 2.0 3PH., DOUBLE, QPAR51 563
BIMA 2.0 3PH., SINGLE, QPAR51 563
BOOKAT WL 830
BOX WL, UP/DOWN, QT-DE12 846
BOX-L WL 846
BOX-L WL, E27 846
BRICK DOWNUNDER EL 869
BRICK DOWNUNDER EL, E14 869
BRICK EL, ASYMMETRISCH 868
BRICK EL, SYMMETRISCH 868
BRICK MESH EL 868
BULAN CW, E14 861
BULAN GRID CW, E27 861

C

C-POL 90 POLE, E27 715
CARISO WL, PHASE 351
CHROMBO WL, PHASE 351
CONCRETE 35 POLE, PHASE 670
CONCRETE 55 POLE, PHASE 670
CONCRETO EL, CUT 865
CONCRETO EL, WING 865
CONCRETO FL, ECKIG, QPAR51 671
CONCRETO FL, RUND, QPAR 51 671
CONCRETO L WL 785
CONCRETO M WL 785
CONE FL, E27 707
COSMIC LV, QR-C51 477
COUPA WL 356
CUBE CL, PHASE 757
CUBIX FL, QPAR51 705
CYFT CW, PHASE 377
CYFT DEKORING 377
CYFT DOME CW, PHASE 377
CYFT WAVE CW, PHASE 376
CYFT WAVE XL CW, PHASE 379
CYFT XL CW, PHASE 379
CYFT XL DEKORING 379

D

D-RING M WL, PHASE 783
D-RING S WL, PHASE 783
DASAR® 115 RL, QUADRATISCH, QPAR51 882
DASAR® 115 RL, RUND, QPAR51 882
DASAR® 1200 EL, DALI 873
DASAR® 215 RL, QUADRATISCH, QPAR111 885
DASAR® 215 RL, RUND, QPAR111 885
DASAR® 255 EL 880, 881
DASAR® 370 EL, RUND 885
DASAR® 600 EL, DALI 873
DASAR® 920 EL 881
DASAR® 920 SP, 230V 745
DASAR® EXACT 116 EL, QUADRATISCH, QPAR51 883
DASAR® EXACT 116 EL, RUND, QPAR51 883
DASAR® FLAT 120 EL 880
DASAR® FLAT 80 EL 880
DASAR® L RL, ASYM, QUADRATISCH, DALI 876
DASAR® L RL, ASYM, RUND, DALI 876
DASAR® L RL, QUADRATISCH, DALI 875
DASAR® L RL, RUND, DALI 875
DASAR® M RL, QUADRATISCH, DALI 875
DASAR® M RL, RUND, DALI 874
DASAR® PROJECTOR SP, 12/24V 745
DASAR® S RL, ECKIG 874
DASAR® S RL, RUND 874
DASAR® XL RL, QUADRATISCH, DALI 877
DASAR® XL RL, RUND, DALI 876
DASAR® XL, RL, ASYM, RUND, DALI 877
DASAR® XL, RL, ASYM., QUADRATISCH, DALI 877
DECONA 30 CL, PHASE 160
DECONA 30 CL, SENSOR 160, 161
DECONA 42 CL, PHASE 161, 162
DECONA 42 CL, SENSOR 161, 162
DECONA ABHÄNGESET 1,50 M 163
DECONA EINBAURAHMEN 310 MM 162
DECONA EINBAURAHMEN 430 MM 163
DELWA WL 840
DENA 30 WL, E14 353
DIO FLEX PLATE WL 359
DIO FLEX PLATE WL QPAR51 359

DIRETO 60 WL, PHASE 353
DISPLAY ADL 50 QPAR51 361
DL 126 EL 105
DOLIX OUT EL, QUADRATISCH, QPAR51 115
DOLIX OUT EL, RUND, QPAR51 114
DORISA 30 WL 320
DORISA 50 WL 320
DOWNLIGHT VARIO 220 22 830/840 WH ML 102
DOWNLIGHT VARIO 220 22 830/840 WH ML PIR 103
DOWNLIGHT VARIO 290 28 830/840 WH ML 103
DOWNLIGHT VARIO 290 28 830/840 WH ML PIR 103
DOWNUNDER OUT L EL 867
DOWNUNDER OUT M EL 867
DOWNUNDER OUT S EL 867
DOWNUNDER OUT WL, QUADRATISCH 841
DOWNUNDER OUT WL, RUND 841
DOWNUNDER PUR 150 EL 121
DOWNUNDER PUR 80 EL 120
DURNO LV 477
DYSKO 1PH., PD, PHASE 513
DYSKO 1PH., PHASE 513
DYSKO 48V, DALI, DEEP & RECESSED TRACK 441
DYSKO 48V, DALI, STANDARD SURFACE MOUNTED TRACK 441
DYSKO 48V, PD, DALI 441
DYSKO CW, DOUBLE, PHASE 289
DYSKO CW, SINGLE, PHASE 289
DYSKO CW, SWITCH, SINGLE, PHASE 289
DYSKO DL, ROUND, PHASE 57
DYSKO PD, PHASE 57, 221

E

ENOLA® 2.0 M 1PH., PD, SINGLE, GU10, QPAR51 501
ENOLA® 2.0 M 1PH., SINGLE, GU10, QPAR51 501
ENOLA® 2.0 M 3PH., PD, SINGLE, GU10, QPAR51 565
ENOLA® 2.0 M 3PH., SINGLE, GU10, QPAR51 565
ENOLA® 2.0 M CL, QUAD., GU10, QPAR51, LONG 143
ENOLA® 2.0 M CL, SINGLE, GU10, QPAR51 140
ENOLA® 2.0 M CL, SIX., GU10, QPAR51, LONG 143
ENOLA® 2.0 M CL, TRIPLE, GU10, QPAR51, LONG 141
ENOLA® 2.0 M CL. DOUBLE, GU10, QPAR51 141
ENOLA® 2.0 M CL. DOUBLE, GU10, QPAR51, LONG 141
ENOLA® 2.0 M CW, SINGLE, GU10, QPAR51, ROUND 326
ENOLA® 2.0 M CW, SINGLE, GU10, QPAR51, SQUARED 326
ENOLA® 2.0 M PD, SINGLE, GU10, QPAR51 245
ENOLA® 2.0 M PD, SIX., LONG, GU10, QPAR51 245
ENOLA® 2.0 M RL, DOUBLE, GU10, QPAR51 109
ENOLA® 2.0 M RL, SINGLE, GU10, QPAR51 109
ENOLA® 2.0 M WL, DOUBLE, GU10, QPAR51 327
ENOLA® 2.0 M WL, SINGLE, GU10, QPAR51 327
ENOLA® 2.0 S 1PH., PD, SINGLE, GU10 MINI, PAR11 500
ENOLA® 2.0 S 1PH., SINGLE, GU10 MINI, PAR11 500
ENOLA® 2.0 S 3PH., PD, SINGLE, GU10 MINI, PAR11 564
ENOLA® 2.0 S 3PH., SINGLE, GU10 MINI, PAR11 564
ENOLA® 2.0 S CL, DOUBLE, GU10 MINI, PAR11 138
ENOLA® 2.0 S CL, DOUBLE, GU10 MINI, PAR11, LONG 139
ENOLA® 2.0 S CL, TRIPLE, GU10 MINI, PAR11, LONG 139
ENOLA® 2.0 S CW, SINGLE, GU10 MINI, PAR11, ROUND 323
ENOLA® 2.0 S CW, SINGLE, GU10 MINI, PAR11, SQUARED 323
ENOLA® 2.0 S DEKORING 108, 139, 245, 325, 500, 564
ENOLA® 2.0 S PD, SINGLE, GU10 MINI, PAR11 244
ENOLA® 2.0 S RL, DOUBLE, GU10 MINI, PAR11 108
ENOLA® 2.0 S RL, SINGLE, GU10 MINI, PAR11 108
ENOLA® 2.0 S WL, DOUBLE, GU10 MINI, PAR11 325
ENOLA® 2.0 S WL, SINGLE, GU10 MINI, PAR11 325
ENOLA® 2.0 S WL, SINGLE, GU10 MINI, PAR11, BEDSIDE, USBC 323
ENOLA® 2.0/BIMA 2.0 M DEKORING 109, 143, 245, 327, 501, 565
ENOLA® M LINSE 19° 821
ENOLA® OCULUS CL 758
ENOLA® OCULUS WL, SINGLE 813
ENOLA® OCULUS WL, UP/DOWN 813
ENOLA® ROUND L CL 759
ENOLA® ROUND L WL, SINGLE 816
ENOLA® ROUND L WL, UP/DOWN 817
ENOLA® ROUND M CL 759
ENOLA® ROUND M WL, SINGLE 816
ENOLA® ROUND M WL, UP/DOWN 817
ENOLA® ROUND S CL 759
ENOLA® ROUND S WL, SINGLE 816
ENOLA® ROUND S WL, UP/DOWN 817
ENOLA® S/M/L REFLEKTOR 821
ENOLA® SQUARE L WL, SINGLE 818
ENOLA® SQUARE L WL, UP/DOWN 819
ENOLA® SQUARE M CL 761
ENOLA® SQUARE M WL, SINGLE 818
ENOLA® SQUARE M WL, UP/DOWN 819
ENOLA® SQUARE S CL 760
ENOLA® SQUARE S WL, SINGLE 818
ENOLA® SQUARE S WL, UP/DOWN 819
ESKINA D DISPLAY, PHASE 851
ESKINA FRAME 125 POLE, DOUBLE 677
ESKINA FRAME 175 POLE, DOUBLE 677
ESKINA FRAME 45 POLE, SINGLE 676
ESKINA FRAME 75 POLE, DOUBLE 676
ESKINA FRAME 75 POLE, SINGLE 676
ESKINA FRAME CL, SINGLE, PHASE 757
ESKINA FRAME WL 829
ESKINA FRAME WL, DOUBLE 829
ESKINA SPOT CW, PHASE 855
ESKINA SPOT SENSOR CW, PHASE 855
EURO CUBE 2 L 3PH., DALI 587
EURO CUBE 2 L 3PH., PHASE 587
EURO CUBE 2 L HONEYCOMB 587
EURO CUBE 2 L OVAL FILTER 587
EURO CUBE 2 M 3PH., DALI 586
EURO CUBE 2 M 3PH., PHASE 586
EURO CUBE 2 M HONEYCOMB 586
EURO CUBE 2 M OVAL FILTER 586
EURO SPOT TRACK 1PH., QPAR51 529
EURO SPOT TRACK 3PH., QPAR111 603
EURO SPOT TRACK 3PH., QPAR51 603

F

F-POL 85 POLE, E27 715
F-POL WL, E27 849
FENDA 30 CM, RUND 155, 261, 413
FENDA 45 CM, RUND 155, 413
FENDA 70 CM, RUND 155, 413
FENDA DECKENROSETTE, E27 155
FENDA FL, E27 411, 413
FENDA GLASSCHIRM 12,5 CM, RUND 261
FENDA Ø 45 CM, RUND 261
FENDA Ø 70 CM, RUND 261
FENDA PD, E27 260
FENDA TL, E27 411
FENDA WL BASIS, E27 355
FERA 25 CL 159
FERA 25 CL, DALI 159
FITU PD, E27 258
FITU PD, E27 RIBBED 258
FITU PD, E27 STONE 258
FITU WANDHALTER 354
FIX-IT! 48V, DALI, ROUND, DEEP SURFACE MOUNTED TRACK 455
FIX-IT! 48V, DALI, ROUND, STANDARD SURFACE MOUNTED TRACK 454, 455
FIX-IT! 48V, DALI, SQUARE, DEEP SURFACE MOUNTED TRACK 457
FIX-IT! 48V, DALI, SQUARE, STANDARD SURFACE MOUNTED TRACK 456, 457
FLAC BEAM SP 741
FLATT 100 POLE 675
FLATT 65 POLE 675
FLATT II 36 POLE, PHASE 674
FLATT II 62 POLE, PHASE 675
FLATT II WL, UP/DOWN, PHASE 793
FLATT II WL, UP/DOWN, SENSOR 793
FLATT SENSOR WL 794
FLATT WL 794
FORCHINI 50 PD, E27 268
FORCHINI 70 PD, E27 269
FORCHINI M 40 PD, E27 269
FORCHINI M 40 TRACK 1PH., E27 489
FORCHINI M 40 TRACK 3PH., PD, E27 599
FORCHINI M 50 PD, E27 269
FRAME BASIC RL 116, 117
FRAME BASIC RL, HV 116
FRAME CURVE EL 117

G

GALEN 120 SP 738
GALEN 60 SP 738
GALEN PRO 120 WL, DALI 739
GALEN PRO 60 WL, DALI 739
GLENOS® 2.0 CL, 1,2 M, DALI, UGR22 167
GLENOS® 2.0 PD, 1,2 M, DALI, UGR19 248
GLENOS® 2.0 PD, 1,5 M, DALI, UGR19 249
GLENOS® 2.0 WL, 1,5M, DALI, UGR22 320
GLENOS® PRO CL, 1,2 M, DALI, UGR19 167
GLENOS® PRO PD, 1,2 M, DALI, UGR16 249
GLENOS® PRO PD, 1,5M, DALI, UGR16 249
GLENOS® PRO RL, 1,2 M, DALI, UGR19 87
GLOO PURE 27 POLE, E27 702
GLOO PURE 44 POLE, E27 702
GLOO PURE 70 POLE, E27 702
GLOO PURE WL, E27 848
GRAFIT 30 POLE, E27 683
GRAFIT 30 POLE, RUND, E27 681
GRAFIT 60 POLE, E27 683

GRAFIT 60 POLE, RUND, E27 681
GRAFIT 90 POLE, E27 683
GRAFIT 90 POLE, RUND, E27 681
GRAFIT WL, ECKIG, E27 823
GRAFIT WL, ECKIG, SENSOR, E27 823
GRAFIT WL, RUND, E27 823
GRAFIT WL, RUND, SENSOR, E27 822
GRAZIA 60 | EINBAUPROFIL 632
GRAZIA 60 | EINBAUPROFIL, ZUBEHÖR 632
GRID CUBE FL 639
GRID SUN FL 639
GRIP! FLAT 1PH., PD, PHASE 511
GRIP! FLAT 1PH., PHASE 511
GRIP! FLAT 48V, DALI 459
GRIP! FLAT 48V, PD, DALI 459
GRIP! FLAT CL, PHASE 329
GRIP! FLAT PD, PHASE 255
GRIP! L 1PH., PD, QPAR51, Ø 5,7 CM 507
GRIP! L 1PH., QPAR51, Ø 5,7 CM 507
GRIP! L 3PH., PD, QPAR51, Ø 5,7 CM 569
GRIP! L 3PH., QPAR51, Ø 5,7 CM 569
GRIP! L CL, DOUBLE, QPAR51, Ø 5,7 CM 147
GRIP! L CL, QPAR51, Ø 5,7 CM 147
GRIP! L CL, SINGLE, QPAR51, Ø 5,7 CM 147
GRIP! L DEKORING 509, 569
GRIP! L WL, UP OR DOWN, 1X QPAR51, Ø 5,7 CM 329
GRIP! L WL, UP/DOWN, 2X QPAR51, Ø 5,7 CM 329
GRIP! M 1PH., PHASE, Ø 4,3 CM 506
GRIP! M 3PH., DALI, Ø 4,3 CM 566
GRIP! M 3PH., PHASE, Ø 4,3 CM 567
GRIP! M 48V, DALI, DEEP & RECESSED TRACK, Ø 4,3 CM 465
GRIP! M CL, DOUBLE, PHASE, Ø 4,3 CM 145
GRIP! M CL, SINGLE, PHASE, Ø 4,3 CM 145
GRIP! M DEKORING 145, 567
GRIP! M DEKORING + SPACER 509
GRIP! M EL, PHASE, Ø 4,3 CM 111
GRIP! S 1PH., PHASE, Ø 3,0 CM 505
GRIP! S 48V, DALI, DEEP & RECESSED TRACK, Ø 3,0 CM 461
GRIP! S 48V, DALI, STANDARD TRACK, Ø 3,0 CM 460, 461
GRIP! S 48V, PD, DALI, Ø 3,0 CM 463
GRIP! S CL, DOUBLE, PHASE, Ø 3,0 CM 144
GRIP! S CL, SINGLE, PHASE, Ø 3,0 CM 144
GRIP! S DEKORING + SPACER 509
GRIP! S EL, PHASE, Ø 3,0 CM 111
GRIP! S MINI 48V, DALI, SHORT, STANDARD TRACK, Ø 3,0 CM 463
GRIP! S PD, PHASE, Ø 3,0 CM 195
GRIP! S WL, Ø 3,0 CM, ON/OFF SWITCH 328
GRIP! S WL, PHASE, UP/DOWN, Ø 3,0 CM 328
GRIP! S WL, RECESSED, Ø 3,0 CM 111

H

H-POL 30 POLE 720
H-POL 60 POLE 720
H-POL TWIN 60 POLE 720
HAVEN 25 1PH., E27 487
HAVEN 25 3PH., E27 555
HAVEN 35 PD, E27 175
HAVEN 50 PD, E27 175
HELIA 30 PD, PHASE 264
HELIA 40 PD, PHASE 265
HELIA 50 TRACK 1PH. 527
HELIA 50 TRACK 3PH. 605
HELIA CW, DOUBLE 857
HELIA CW, SINGLE 857
HELIA PRO L WL, SINGLE, DALI P1 804
HELIA PRO L WL, SINGLE, DALI P2 805
HELIA PRO L WL, UP/DOWN, DALI P1 804
HELIA PRO L WL, UP/DOWN, DALI P2 805
HELIA PRO S WL, SINGLE, DALI P1 802
HELIA PRO S WL, SINGLE, DALI P2 803
HELIA PRO S WL, UP/DOWN, DALI P1 802
HELIA PRO S WL, UP/DOWN, DALI P2 803
HELIA SLIM POLE, DOUBLE 747
HELIA SLIM POLE, SINGLE 747
HELIA SPOT L SP, SINGLE, PHASE 740
HELIA SPOT S SP, SINGLE 740
HORN 1 EL, SINGLE, QPAR51 92
HORN DL, DOUBLE, QPAR51 91
HORN DL, GU10, BLOWER DOOR GETESTET 93
HORN DL, SINGLE, ASYMMETRISCH, QPAR51 91
HORN DL, SINGLE, QPAR51 91, 92
HORN MAGNA EL 93
HORN MINI EL 90
HORN T EL, QPAR111 93

I

I-RING 65 POLE 653
I-RING WL 783
IN-LINE 22 48V, DARKLIGHT REFLECTOR, DALI 450
IN-LINE 22 48V, OPAL, DALI 450
IN-LINE 24 48V, MOVE, DARKLIGHT REFLECTOR, DALI 453
IN-LINE 44 48V, DARKLIGHT REFLECTOR, DALI 451
IN-LINE 44 48V, OPAL, DALI 451
IN-LINE 46 48V, MOVE, DARKLIGHT REFLECTOR, DALI 453
IPERI 50 POLE 726
IPERI WL 849

K

KADUX DL, DOUBLE, DALI 14
KADUX DL, DOUBLE, PHASE 15
KADUX DL, SINGLE, DALI 14
KADUX DL, SINGLE, PHASE 15
KADUX DL, TRIPLE, PHASE 15
KADUX EL, DOUBLE, QPAR111 17
KADUX EL, DOUBLE, QPAR51 16
KADUX EL, SINGLE, QPAR111 17
KADUX EL, SINGLE, QPAR51 16
KADUX EL, TRIPLE, QPAR51 16
KALU 2.0 1PH., PHASE 519
KALU 2.0 3PH., DALI 589
KALU 2.0 3PH., PHASE 589
KALU 2.0 48V, DALI, STANDARD SURFACE MOUNTED TRACK 439
KALU 2.0 CW, DOUBLE LONG, PHASE 374
KALU 2.0 CW, SINGLE, PHASE 374
KALU 2.0 CW, TRIPLE LONG, PHASE 374
KALU CW, DOUBLE, QPAR111 383
KALU CW, QPAR111 383
KALU CW, QUAD, QPAR111 383
KALU CW, SINGLE, QPAR111 383
KALU CW, TRIPLE, QPAR111 383
KALU TRACK 1PH., QPAR111 519
KALU TRACK 3PH., QPAR111 589
KARDAMOD CL, DOUBLE, QUADRATISCH, QPAR111 153
KARDAMOD CL, SINGLE, QUADRATISCH, QPAR111 153
KARPO 30 CW, SINGLE 357
KARPO 30 EL 110
KARPO 30 WL, SINGLE 357
KARPO FL 415
KARPO GOOSE WL 356
KARPO MAGN CW, SINGLE, PHASE 356
KARPO TL 415
KARPO WL 357
KENKUA SPOT WL, E27 355
KINI EL, PHASE 115

L

L-LINE 120 WL 321
L-LINE 60 WL 321
L-LINE OUT 30 FL, VERTIKAL 696
L-LINE OUT 50 POLE, HORIZONTAL 697
L-LINE OUT 60 FL, VERTIKAL 697
L-LINE OUT 80 POLE, HORIZONTAL 697
L-LINE OUT WL 847
LALU® SET 1PH., PD, LED BASE, PHASE 491, 493
LALU® SET 48V, PD, LED BASE, DALI 466, 467
LALU® SET PD, E27 BASE 216, 217
LALU® SET PD, LED BASE, PHASE 218, 219
LALU® SET PD, LED BASE, PHASE, RECESSED 220, 221
LED SPIKE SP 749
LED SPOT SP 853
LEDSTRIP COB | M 622
LEDSTRIP COB | S 616
LEDSTRIP COB | XS 614
LEDSTRIP COB IP67 | S 620
LEDSTRIP COB IP67 RGBW | S 620
LEDSTRIP COB IP67 TW | S 620
LEDSTRIP COB RGBW | S 618
LEDSTRIP COB TW | S 618
LEDSTRIP PROFILE CORNER | M 630
LEDSTRIP PROFILE CORNER | S 628
LEDSTRIP PROFILE RECESSED | M 630
LEDSTRIP PROFILE RECESSED | S 628
LEDSTRIP PROFILE RECESSED PLASTER | XS 626
LEDSTRIP PROFILE RECESSED TILES | XS 626
LEDSTRIP PROFILE SURFACE | M 630
LEDSTRIP PROFILE SURFACE | S 628
LEDSTRIP PROFILE SURFACE | XS 626
LEDSTRIP PROFILE SURFACE FLAT | M 630
LEDSTRIP PROFILE SURFACE FLAT | S 628
LEDSTRIP SMD | M 623
LEDSTRIP SMD | S 617
LEDSTRIP SMD | XS 615
LEDSTRIP SMD IP67 | S 621
LEDSTRIP SMD RGBW | S 619, 621
LEDSTRIP SMD TW | S 619, 621
LEDSTRIP, ZUBEHÖR 624, 625
LEDSTRIP PROFILE, ZUBEHÖR 618–625
LID I 45 POLE, SINGLE, PHASE 654
LID I 75 POLE, DOUBLE, PHASE 654
LID I WL, DOUBLE, PHASE 781
LID I WL, SINGLE, PHASE 780
LID II WL, SINGLE, PHASE 781
LID II WL. UP/DOWN, PHASE 781
LIGHT EYE® 150 1PH., PD, QPAR111 515
LIGHT EYE® 150 1PH., QPAR111 514
LIGHT EYE® 150 3PH., PD, QPAR111 601
LIGHT EYE® 150 3PH., QPAR111 601
LIGHT EYE® 150 DEKORING Ø 13,6 CM 243, 515, 601
LIGHT EYE® 150 PD, QPAR111 243
LIGHT EYE® 2.0 1PH., PD, Ø 7,5 CM 517
LIGHT EYE® 2.0 1PH., PHASE, Ø 7,5 CM 517
LIGHT EYE® 2.0 48V, DALI, Ø 7,5 CM 439
LIGHT EYE® 2.0 48V, PD, DALI, Ø 7,5 CM 439
LIGHT EYE® 90 1PH., PD, QPAR51 515
LIGHT EYE® 90 1PH., QPAR51 514
LIGHT EYE® 90 3PH., PD, QPAR51 600

LIGHT EYE® 90 DEKORING
Ø 5,7 CM 243, 515, 601
LIGHT EYE® 90 PD, QPAR51 243
LINIUS 120 PD, DALI, CANOPY 235
LINIUS 120 PD, DALI, RECESSED 235
LINIUS 120 PD, PHASE, CANOPY 234
LINIUS 120 PD, PHASE, RECESSED 235
LINIUS 150 PD, DALI, CANOPY 237
LINIUS 150 PD, DALI, RECESSED 237
LINIUS 150 PD, PHASE, CANOPY 236
LINIUS 150 PD, PHASE, RECESSED 237
LIPSY® 2.0 30 CW, DOME 390
LIPSY® 2.0 30 CW, DRUM 392
LIPSY® 2.0 30 CW, HF, DOME 390
LIPSY® 2.0 30 CW, HF, DRUM 392
LIPSY® 2.0 40 CW, 3H EM, DOME 391
LIPSY® 2.0 40 CW, 3H EM, DRUM 393
LIPSY® 2.0 40 CW, DOME 391
LIPSY® 2.0 40 CW, DRUM 393
LIPSY® 2.0 40 CW, HF, DOME 391
LIPSY® 2.0 40 CW, HF, DRUM 393
LISENNE 40 POLE, E27 708
LISENNE 70 POLE, E27 708
LOGS 40 POLE 679
LOGS 70 POLE 679
LOGS IN L WL, DALI 345
LOGS IN L WL, PHASE 345
LOGS IN WL 344
LOGS IN WL, PHASE 344
LOGS WL 847
LYGANT WL, DOUBLE 279
LYGANT WL, SINGLE 279

LEUCHTMITTEL

LED A60 E27 900
LED A60 E27, HIGH EFFICIENCY 900
LED A60 E27, MIRRORHEAD CHROM 903
LED A60 GU10 897
LED C35 E14 896, 897
LED C35 E14, GOLD CURLY FILAMENT 896
LED G45 E14, GOLD CURLY FILAMENT 896
LED GLOBE 125 E27 903
LED GLOBE 125 E27, BLACK SMOKEY 901
LED GLOBE 125 E27, CRESCENT SLANTING SMOKEY 901
LED GLOBE 125 E27, HALF MOON 903
LED GLOBE 125 E27, SLANTING TOP SMOKEY 901
LED GLOBE 125 E27, SOFT CURVE SMOKEY 900
LED GLOBE 150 E27, BLACK SMOKEY 901
LED GLOBE 150 E27, TWISTED SMOKEY GREY 900
LED GLOBE 200 E27, BLACK SMOKEY 901
LED GLOBE 300 E27, BLACK SMOKEY 901
LED QPAR 111 GU10 899
LED QPAR111 GU10 899
LED QPAR51 GU10 898
LED QR51 GU5.3 897
LED QT-DE12 R7S, 118 MM 896
LED QT-DE12 R7S, 78 MM 896
LED QT14 G9 896
LED ST58 E27 903
LED ST64 E27, GOLD 902
LED ST64 E27, GOLD CURLY FILAMENT 903
LED T32 E27, SLIM TUBE 902
LED T32 E27, SOFT SPIRAL 902
LED T32 E27, SOFT TUBE 902
LED T32 GU10 897
LED T38 E27 902
LED T45 E27 902
LED TCR-TSE GX53 897
LED, PAR11 GU10 899
SLVconnect® LED A60 SMART E27, RGBW, ZIGBEE 3.0 904
SLVconnect® LED A60 SMART E27, ZIGBEE 3.0 904
SLVconnect® LED PAR16 SMART GU10, RGBW, ZIGBEE 3.0 904
SLVconnect® LED PAR16 SMART GU10, TUNABLE WHITE, ZIGBEE 3.0 904
SLVconnect® LED PAR16 SMART GU10, ZIGBEE 3.0 904

M

M-POL 30 POLE 667
M-POL 60 POLE 667
M-POL 60 POLE, SOCKET 666
M-POL 90 POLE 667
M-POL ABDECKUNG 666
M-POL M POLEHEAD 663
M-POL M POLEHEAD, DALI 663
M-POL M POLEHEAD, LOUVER 665
M-POL M POLEHEAD, LOUVER, DALI 665
M-POL M POLEHEAD, SHADER 664
M-POL M POLEHEAD, SHADER, DALI 665
M-POL S POLEHEAD 661
M-POL S POLEHEAD 180°, ENTBLENDET 660
M-POL S POLEHEAD 180°, ENTBLENDET, DALI 661
M-POL S POLEHEAD 360°, ENTBLENDET 660
M-POL S POLEHEAD 360°, ENTBLENDET, DALI 660
M-POL S POLEHEAD, DALI 661
M-POL S POLEHEAD, LOUVER 662
M-POL S POLEHEAD, LOUVER, DALI 663
M-POL S POLEHEAD, SHADER 662
M-POL S POLEHEAD, SHADER, DALI 662
MAGANDA WL 319
MAGICO 20 PD, E27 185
MAGICO 38 PD, E27 185
MAGICO 55 PD, E27 185
MANA 40 SCHIRM, RUND 335
MANA 40 SCHIRM, RUND, ARCOUSTIC FILZ 334
MANA 40 SCHIRM, RUND, MOON STRUCTURE 335
MANA 60 SCHIRM, RUND 335
MANA 60 SCHIRM, RUND, ARCOUSTIC FILZ 334
MANA 60 SCHIRM, RUND, MOON STRUCTURE 335
MANA BASE RUND 334
MANA BASE WL, RUND, PHASE 333
MARONA CL, PHASE 163
MECANICA 2.0 TL, LED, CCT 414
MEDO® 2.0 SLIM 30 CL, DALI 200, 300
MEDO® 2.0 SLIM 30 CL, PHASE 198, 298
MEDO® 2.0 SLIM 40 CL, DALI 201, 300
MEDO® 2.0 SLIM 40 CL, PHASE 199, 299
MEDO® 2.0 SLIM 60 CL, DALI 201, 300
MEDO® 2.0 SLIM 60 CL, PHASE 199, 299
MEDO® 2.0 SLIM 80 CL, DALI 201, 301
MEDO® 2.0 SLIM 80 CL, PHASE 199, 299
MEDO® 2.0 SUSPENSION KIT ABHÄNGESET, 1,5 M MITTIG 205, 301
MEDO® 2.0 SUSPENSION KIT ABHÄNGESET, 3 M PARALLEL 205, 301
MEDO® 2.0 SUSPENSION KIT ABHÄNGESET, 5 M MITTIG 205, 301
MEDO® 30 RL, FRAME 88
MEDO® 40 RL, FRAME 89
MEDO® 60 RL, FRAME 89
MEDO® 90 RL, FRAME 89
MEDO® 2.0 HYVE 40 CL, DALI 202, 302
MEDO® 2.0 HYVE 40 CL, PHASE 202, 302
MEDO® 2.0 HYVE 60 CL, DALI 203, 303
MEDO® 2.0 HYVE 60 CL, PHASE 202, 302
MEDO® 2.0 HYVE 80 CL, DALI 203, 303
MEDO® 2.0 HYVE 80 CL, PHASE 203, 303
MEDO® PRO 30 CW, DALI 210, 307
MEDO® PRO 30 CW, DALI, UGR<19 208, 304
MEDO® PRO 30 CW, PHASE 211, 307
MEDO® PRO 30 CW, PHASE, UGR<19 208, 305
MEDO® PRO 40 CW, DALI 211, 308
MEDO® PRO 40 CW, DALI, UGR<19 208, 305
MEDO® PRO 40 CW, PHASE 211, 308
MEDO® PRO 40 CW, PHASE, UGR<19 209, 305
MEDO® PRO 60 CW, DALI 212, 308
MEDO® PRO 60 CW, DALI, UGR<19 209, 306
MEDO® PRO 60 CW, PHASE 213, 309
MEDO® PRO 60 CW, PHASE, UGR<19 209, 306
MEDO® PRO 90 CL, DALI 213, 309
MEDO® PRO 90 CL, DALI, UGR<19 210, 306
MEDO® PRO 90 CL, PHASE 213, 309
MEDO® PRO 90 CL, PHASE, UGR<19 210, 307
MEDO® RING 60 PD, DALI 206
MEDO® RING 60 PD, PHASE 207
MEDO® RING 90 PD, DALI 207
MEDO® RING 90 PD, PHASE 207
MELAN CW, E27 395
MERADO FLOOD WL, PHASE 361
MERIDIAN BOX WL, E27 827
MERIDIAN BOX WL, E27, SENSOR 827
MERIDIAN WL, E27 826
MIBO UP/DOWN WL, QT14 319
MOBALA EL 121
MODELA WL, UP/DOWN, PHASE 778
MOLAT 100 POLE, E27 707
MOLAT CL, E27 763
MOLAT PD, E27 707
MOLAT WL, E27 848
MOTUNA CW, PHASE 163, 375
MOTUNA PD, PHASE 197
MYRA CW, SINGLE, QPAR51 853
MYRA DISPLAY WL, CURVED, QPAR51 851
MYRA SPOT DOUBLE, GU10 727
MYRA UP/DOWN WL, QPAR51 839
MYRA WL, DOUBLE, QPAR51 851
NAUTILUS 10 SP, QUADRATISCH 742
NAUTILUS 10 SP, RUND, QPAR51 743
NAUTILUS 10 SPOT SP, LED 744
NAUTILUS 10 SPOT SP, QPAR51 744
NAUTILUS SP, QR-C51 744
NAUTILUS WL QPAR51 853

N

NEW TRIA® 64
NEW TRIA® 150 DL, RUND, QPAR111 86
NEW TRIA® 155 DL, DOUBLE 73
NEW TRIA® 155 DL, DOUBLE, QPAR51 73
NEW TRIA® 155 RING, DOUBLE, SQUARE GU10/LED MODULE 83
NEW TRIA® 300 DL, ECKIG, QPAR111 87
NEW TRIA® 45 DL, RUND 73
NEW TRIA® 68 DL, DTW, PHASE 62
NEW TRIA® 68 DL, PHASE 58, 60
NEW TRIA® 68 DL, PHASE, AIRTIGHT 66
NEW TRIA® 68 DL, QPAR51 68
NEW TRIA® 68 RING, ROUND, GU10/LED MODULE 77

NEW TRIA® 68 RING, ROUND, GU10/LED-MODULE 76, 77
NEW TRIA® 68 RING, SQUARE, GU10/LED MODULE 77
NEW TRIA® 68 RING, SQUARE, GU10/LED-MODULE 76, 77
NEW TRIA® 75 / XL DL, QPAR51 70
NEW TRIA® 75 DL, RUND, PHASE 60
NEW TRIA® 75 RING, ROUND, GU10/LED MODULE 79
NEW TRIA® 75 RING, ROUND, GU10/LED-MODULE 79
NEW TRIA® 75 RING, SQUARE, GU10/LED MODULE 79
NEW TRIA® 75 XL RING, ROUND, GU10/LED-MODULE 79
NEW TRIA® 75 XL RING, SQUARE, GU10/LED-MODULE 79
NEW TRIA® 95 RING, ROUND, LED-MODULE 81
NEW TRIA® 95 RING, SQUARE, LED-MODULE 81
NEW TRIA® DL, DOUBLE, LED-MODUL, PHASE 83
NEW TRIA® DL, DOUBLE, QPAR111 87
NEW TRIA® DL, LED-MODUL, DTW, PHASE 75
NEW TRIA® DL, LED-MODUL, PHASE 75, 81
NEW TRIA® UNIVERSAL DL, LED-MODUL, PHASE 75
NOBLO® CW, DOUBLE, PHASE 373
NOBLO® CW, DOUBLE, PHASE, DTW 371
NOBLO® CW, SINGLE, PHASE 373
NOBLO® CW, SINGLE, PHASE, DTW 371
NOBLO® CW, TRIPLE, PHASE 373
NOBLO® CW, TRIPLE, PHASE, DTW 371
NOBLO® SPOT 1PH., PHASE 521
NOBLO® SPOT 1PH., TRIPLE TRACK SET 521
NOBLO® SPOT 3PH., PHASE 585
NOBLO® SPOT LV, ROPE TRACK 477
NOTAPO L RL 119
NOTAPO S RL 119
NUMINOS® GIMBLE L 44
NUMINOS® GIMBLE M 42
NUMINOS® GIMBLE S 40
NUMINOS® GIMBLE XL 46
NUMINOS® GIMBLE XS 38
NUMINOS® L DL 24
NUMINOS® L 3PH., PHASE 576
NUMINOS® L CL 134
NUMINOS® L CL, PHASE 294
NUMINOS® L PD, PHASE 190
NUMINOS® M DL 22
NUMINOS® M 3PH., PHASE 574
NUMINOS® M CL 132
NUMINOS® M CL, PHASE 292
NUMINOS® M PD, PHASE 188
NUMINOS® MOVE L 34
NUMINOS® MOVE M 32
NUMINOS® MOVE S 30
NUMINOS® MOVE XL 36
NUMINOS® MOVE XS 28
NUMINOS® S DL 20
NUMINOS® S 3PH., PHASE 572
NUMINOS® S 48V, DALI 444, 448
NUMINOS® S CL 130
NUMINOS® S CW, PHASE 290
NUMINOS® S PD, PHASE 186
NUMINOS® XL DL 26
NUMINOS® XL 3PH., PHASE 578
NUMINOS® XL CL 136
NUMINOS® XL CL, PHASE 296
NUMINOS® XL PD, DALI 192
NUMINOS® XS DL 18
NUMINOS® XS 48V, DALI 442, 446
NUMINOS® ZOOM M 3PH., PHASE 580

O

OCCULDAS 13 CL, INDIREKT, PHASE 150
OCCULDAS 14 EL, INDIREKT, PHASE 107
OCCULDAS 23 CL, INDIREKT, PHASE 151
OCCULDAS 23 EL, INDIREKT, PHASE 107
OCULUS CL DTW, PVD 148
OCULUS CL, MOVE, PHASE 107
OCULUS CL, PHASE 148
OCULUS PD DTW, PVD 257
OCULUS PD, SINGLE, PHASE 257
OCULUS UP/DOWN WL, PHASE 337
OCULUS WL UP/DOWN DTW, PVD 337
OCULUS WL, SINGLE, PHASE 337
OLYPSO 40 PD, E27 183
OLYPSO 50 PD, E27 183
ONE 40 CW, DALI 313
ONE 40 CW, DALI, UP/DOWN 311
ONE 40 CW, PHASE, UP/DOWN 310
ONE 60 CW, DALI 313
ONE 60 CW, DALI, UP/DOWN 311
ONE 60 CW, PHASE, UP/DOWN 311
ONE 60 PD, DALI 227
ONE 60 PD, DALI, UP/DOWN 227
ONE 60 PD, PHASE, UP/DOWN 227
ONE 80 PD, DALI 229
ONE 80 PD, DALI, UP/DOWN 229
ONE BOW FL 405
ONE CUBE PD, DALI 225
ONE CUBE UP/DOWN PD, DALI, UP/DOWN 225
ONE DOUBLE PD, DALI, UP/DOWN 231
ONE DOUBLE PD, PHASE, UP/DOWN 231
ONE FILZPLATTE, AKUSTIK FILZ, F. ONE 80/ ONE CUBE 225, 229
ONE FLAT PD, DALI, TRIPLE 223
ONE FLAT PD, PHASE, SINGLE 223
ONE LINEAR 100 PD, PHASE, UP/DOWN 233
ONE LINEAR 140 PD, PHASE, UP/DOWN 233
ONE LINEAR 50 WL, PHASE, UP/DOWN 312
ONE LINEAR 70 WL, PHASE, UP/DOWN 313
ONE STRAIGHT FL 405
ONE TRIPLE PD, DALI 231
ONE VERTICAL PD, PHASE 224
ORDI II 45 POLE, PHASE 723
ORDI II 70 POLE, PHASE 723
ORDI II 70 POLE, SENSOR 723
ORDI II WL, PHASE 845
ORDI II WL, SENSOR 845
ORDI WL 844
ORDI WL, SENSOR 844
OSSA 180 WL, QT-DE12 349
OSSA 300 WL, QT-DE12 349
OTOS GLAS POLE, E27 705
OUT-BEAM UP/ FLOOD DOWN WL, UP/FLOOD DOWN 847
OVAL 14 WL, UP/DOWN 784
OVAL 18 WL, UP/DOWN 784
OVALISK 100 POLE 701
OVALISK 75 POLE 701
OVALISK CL 763
OVALISK SENSOR WL 831
OVALISK WL 831
OVANA 30 CL, LED, PHASE, CCT 165
OVANA 30 CL, LED, ZIGBEE, TW 164
OVANA 44 CL, LED, PHASE, CCT 165
OVANA 44 CL, LED, ZIGBEE, TW 165
OVANA 44 PD, LED, PHASE, CCT 197

P

PANEL 60 CL, ROUND, DALI 169
PANEL 60 CL, ROUND, PHASE 169
PANEL 60 PD, ROUND, DALI 253
PANEL 60 PD, ROUND, PHASE 253
PANEL TRACK 1PH., ECKIG 527
PANEL TRACK 1PH., RUND 527
PANTILO 20 PD, E27 240
PANTILO 28 PD, E27 240
PANTILO CONVEX 29 PD, E27 241
PANTILO CONVEX 40 PD, E27 241
PANTILO OVAL PD, E27 240
PANTILO ROPE 19 TL, E27 409
PANTILO ROPE 19 CW, E27 375
PANTILO ROPE 19 PD, E27 239
PANTILO ROPE 20 PD, E27 239
PANTILO ROPE 27 CW, E27 375
PANTILO ROPE 27 FL, E27 409
PANTILO ROPE 27 PD, E27 239
PANTILO ROPE WL, G9 322
PANTILO SLIM TL, E27 408
PANTILO TL, E27 409
PARA 380 PD E27 273
PARA CONE 14 1PH., GU10 525
PARA CONE 14 1PH., PD, GU10 525
PARA CONE 14 3PH., GU10 596
PARA CONE 14 3PH., PD, GU10 597
PARA CONE 20 PD, E27 265
PARA CONE 30 PD, E27 265
PARA CONE GL 1PH., GU10 525
PARA CONE GL 3PH., GU10 597
PARA CONE GL PD, GU10 597
PARA DOME PD, E27 273
PARA DOME SCHIRM 273
PATTA-F EL, QUADRATISCH, PHASE 123
PATTA-F EL, RUND, PHASE 123
PATTA-I DL, ECKIG, PHASE 122
PATTA-I EL, QUADRATISCH, PHASE 123
PATTA-I EL, RUND, PHASE 122
PEMA® WL 832, 833
PEMA® WL, E27 833
PHELIA 10 PD, E27 267
PHELIA 25 PD, E27 267
PHELIA 30 PD, E27 267
PHELIA FL, E27 415
PHELIA WL, QPAR51 361
PHOTONI 45 POLE, E27 649
PHOTONI 75 POLE, E27 649
PHOTONI CL, E27 754
PHOTONI CYL 45 POLE, E27 648
PHOTONI CYL 75 POLE, E27 649
PHOTONI CYL CL, E27 754
PHOTONI CYL WL, E27 779
PHOTONI WL, E27 779
PHOTONIA POLE, E27 705
PHOTONIA WL, E27 848
PIKA DL, RUND, QPAR51, SCHWENKBAR 105
PIKA DL, RUND, QPAR51, STARR 105
PL-BEAM PRO M ABSCHATTER 737
PL-BEAM PRO M SP, DALI 735
PL-BEAM PRO M SP, DALI, ASYM 735
PL-BEAM PRO M WABENRASTER 737
PL-BEAM PRO S ABSCHATTER 737
PL-BEAM PRO S SP, DALI 734
PL-BEAM PRO S SP, DALI, ASYM 734
PL-BEAM PRO S WABENRASTER 737
PL-BEAM PRO S/M MASTSCHELLE 737
PL-BEAM WANDHALTERUNG 737
PLASTRA 101 WL, E14 341
PLASTRA 104 CL, E27 159
PLASTRA 104 WL, QT14 341
PLASTRA 105 CL, E27 158

PLASTRA CL, PHASE 158
PLASTRA CL, QPAR51 158
PLASTRA RL, QUADRATISCH, QPAR51 113
PLASTRA RL, RUND, QPAR51 113
PLASTRA WL, CUBE, QT14 338
PLASTRA WL, CURVE, QT-DE12 341
PLASTRA WL, E14 339
PLASTRA WL, ECKIG 340
PLASTRA WL, HALBRUND 339
PLASTRA WL, QPAR51 340
PLASTRA WL, RECHTECKIG, QT-DE12 339
PLASTRA WL, SHIELD RUND 340
POWER TRAIL-LITE® EL, QUADRATISCH 887
POWER TRAIL-LITE® EL, RUND 887
PROFIL SETS | AUFBAUPROFIL S + DIFFUSOR 613
PURI 2.0 1PH., TRIPLE TRACK SET, QPAR51 498
PURI 2.0 CONE 1PH., PD, QPAR51 497
PURI 2.0 CONE 1PH., QPAR51 495
PURI 2.0 CONE 3PH., PD, QPAR51 559
PURI 2.0 CONE 3PH., QPAR51 557
PURI 2.0 CONE CW, DOUBLE ASYM., QPAR51 365
PURI 2.0 CONE CW, DOUBLE LONG, QPAR51 364
PURI 2.0 CONE CW, QPAR51 364
PURI 2.0 CONE CW, QUADRUPLE LONG, QPAR51 365
PURI 2.0 CONE CW, SCHALTER, SINGLE, QPAR51 365
PURI 2.0 CONE CW, SINGLE, QPAR51 365
PURI 2.0 CONE CW, TRIPLE LONG, QPAR51 365
PURI 2.0 CONE CW, TRIPLE ROUND, QPAR51 365
PURI 2.0 CONE SCHIRM 369, 499, 561
PURI 2.0 DOME 1PH., QPAR51 495, 497
PURI 2.0 DOME 3PH., PD, QPAR51 559
PURI 2.0 DOME 3PH., QPAR51 557
PURI 2.0 DOME CW, DOUBLE ASYM., QPAR51 367
PURI 2.0 DOME CW, DOUBLE LONG, QPAR51 366
PURI 2.0 DOME CW, QPAR51 366
PURI 2.0 DOME CW, QUADRUPLE LONG, QPAR51 367
PURI 2.0 DOME CW, SCHALTER, SINGLE, QPAR51 367
PURI 2.0 DOME CW, SINGLE, QPAR51 367
PURI 2.0 DOME CW, TRIPLE LONG, QPAR51 367
PURI 2.0 DOME CW, TRIPLE ROUND, QPAR51 367
PURI 2.0 DOME SCHIRM 369, 499, 561
PURI 2.0 TUBE 1PH., PD, QPAR51 497
PURI 2.0 TUBE 1PH., QPAR51 495
PURI 2.0 TUBE 3PH., PD, QPAR51 559
PURI 2.0 TUBE 3PH., QPAR51 557
PURI 2.0 TUBE CW, DOUBLE ASYM., QPAR51 363
PURI 2.0 TUBE CW, DOUBLE LONG, QPAR51 362
PURI 2.0 TUBE CW, QPAR51 362
PURI 2.0 TUBE CW, QUADRUPLE LONG, QPAR51 363
PURI 2.0 TUBE CW, SCHALTER, SINGLE, QPAR51 363
PURI 2.0 TUBE CW, SINGLE, QPAR51 363
PURI 2.0 TUBE CW, TRIPLE LONG, QPAR51 363
PURI 2.0 TUBE CW, TRIPLE ROUND, QPAR51 363
PURI 2.0 TUBE SCHIRM 369, 499, 561

Q

Q-LINE® WL 321
Q-RING WL, PHASE 782
Q-RING WL, SENSOR 782
QUAD FRAME 14 WL 346
QUAD FRAME 19 WL 346
QUAD POLE 726
QUAD PRO 60 POLE, DALI 655
QUAD PRO 90 POLE, DALI 655
QUAD UP/DOWN 15 WL 811
QUAD WL 811
QUADRASYL 75 POLE, TCR-TSE 726
QUADRASYL PRO 70 POLE, DALI 645
QUADRASYL PRO 90 POLE, DALI 645
QUADRASYL PRO WL, SINGLE, DALI, ASYM 777
QUADRASYL PRO WL, UP/DOWN, DALI 777
QUADRASYL WL, TCR-TSE 849
QUADRULO CL 825
QUADRULO FL 685
QUADRULO SENSOR WL, E27 824
QUADRULO WL 824
QUADRULO WL, E27 825
QUIMERA 1PH., PD 489
QUIMERA PD, PHASE 177
QUIMERA TL 403
QUIMERA WL, PHASE 279

R

R-CUBE 35 POLE, PHASE 651
R-CUBE 75 POLE, PHASE 651
R-CUBE WL, PHASE 778
RASTERLYS 70 POLE, PHASE 673
RASTERLYS WL, PHASE 787
RASTERLYS WL, UP/DOWN, PHASE 787
ROCCI 200 EL, ECKIG 891
ROCCI 200 EL, RUND 891
ROCCI EL, QUADRATISCH 890
ROCCI EL, RUND 890
ROTOBALL 25 FL, E27 703
ROTOBALL 25 PD, E27 271
ROTOBALL 40 FL, E27 703
ROTOBALL 40 PD, E27 271
ROTOBALL 50 FL, E27 703
ROTOBALL 50 PD, E27 271
ROX ACRYL 30 POLE, E27 713
ROX ACRYL 60 POLE, E27 713
ROX ACRYL 90 POLE, E27 713
ROX CL, GX53 765
ROX CL, QPAR111 765
ROX WL, UP/DOWN, QPAR111 840
RUSTY® 40 POLE 692
RUSTY® 40 POLE, E27 692, 693
RUSTY® 70 POLE 692
RUSTY® 70 POLE, E27 693
RUSTY® CONE 24 FL, E14 689
RUSTY® CONE 40 POLE, E27 689
RUSTY® CONE 70 POLE, E27 689
RUSTY® PATHLIGHT 40 POLE 688
RUSTY® PATHLIGHT 70 POLE 688
RUSTY® PATHLIGHT POLE, TCR-TSE 688
RUSTY® SLOT 50 POLE 686
RUSTY® SLOT 50 POLE, E27 687
RUSTY® SLOT 80 POLE 687
RUSTY® SLOT 80 POLE, E27 687
RUSTY® UP/DOWN WL, QUADRATISCH 812
RUSTY® UP/DOWN WL, RUND 812

S

S-CUBE 35 POLE, PHASE 650
S-CUBE 75 POLE, PHASE 651
S-CUBE CW, PHASE 778
S-TUBE 32 POLE, GU10 646
S-TUBE 75 POLE, GU10 646
S-TUBE CW 791
SAMRINA SP, SINGLE, GU10 741
SEDO 14 WL 316
SEDO 21 WL 317
SEJERO 90 POLE, E27 643
SEJERO PD, E27 755
SEJERO WL, E27 771
SENSER 2.0 12 CW, ROUND, DALI 388
SENSER 2.0 12 CW, ROUND, PHASE 386
SENSER 2.0 12 CW, SQUARE, DALI 388
SENSER 2.0 12 CW, SQUARE, PHASE 386
SENSER 2.0 12 RL, ROUND, DALI 100
SENSER 2.0 12 RL, ROUND, PHASE 96
SENSER 2.0 12 RL, SQUARE, DALI 98
SENSER 2.0 12 RL, SQUARE, PHASE 94
SENSER 2.0 18 CW, ROUND, DALI 389
SENSER 2.0 18 CW, ROUND, PHASE 387
SENSER 2.0 18 CW, SQUARE, DALI 389
SENSER 2.0 18 CW, SQUARE, PHASE 387
SENSER 2.0 18 RL, ROUND, DALI 101
SENSER 2.0 18 RL, ROUND, PHASE 97
SENSER 2.0 18 RL, SQUARE, DALI 99
SENSER 2.0 18 RL, SQUARE, PHASE 95
SENSER 2.0 24 CW, ROUND, DALI 389
SENSER 2.0 24 CW, ROUND, PHASE 387
SENSER 2.0 24 CW, SQUARE, DALI 389
SENSER 2.0 24 CW, SQUARE, PHASE 387
SENSER 2.0 24 RL, ROUND, DALI 101
SENSER 2.0 24 RL, ROUND, PHASE 97
SENSER 2.0 24 RL, SQUARE, DALI 99
SENSER 2.0 24 RL, SQUARE, PHASE 95
SENSER 2.0 30 CW, ROUND, DALI 389
SENSER 2.0 30 CW, ROUND, PHASE 387
SENSER 2.0 30 CW, SQUARE, DALI 389
SENSER 2.0 30 CW, SQUARE, PHASE 387
SENSER 2.0 30 RL, ROUND, DALI 101
SENSER 2.0 30 RL, ROUND, PHASE 97
SENSER 2.0 30 RL, SQUARE, DALI 99
SENSER 2.0 30 RL, SQUARE, PHASE 95
SHELL 30 WL, PHASE 347
SIGHT EASY 3PH. 593
SIGHT EASY 3PH., DALI 593
SIGHT EVO 1200 3 PH., SINGLE 590
SIGHT EVO 1200 3 PH., SINGLE DALI 591
SIGHT EVO 600 3 PH., DOUBLE 590
SIGHT EVO 600 3 PH., DOUBLE DALI 591
SIGHT EVO 600 3 PH., SINGLE 590
SIGHT EVO 600 3 PH., SINGLE DALI 591
SIGHT MOVE 3PH. 595
SIGHT MOVE 3PH., DALI 595
SIGHT PANEL 3PH. 592
SIGHT PANEL 3PH., DALI 592
SIGHT TRACK 3PH. 594
SIGHT TRACK 3PH., DALI 594
SIMA CW, QUADRATISCH, PHASE 394
SIMA CW, QUADRATISCH, SENSOR 394
SITRA 360 CW, TCR-TSE 856
SITRA 360 POLE, TCR-TSE 727
SITRA 360 SPIKE SP, DOUBLE, TCR-TSE 751
SITRA 360 SPIKE SP, SINGLE, TCR-TSE 751
SITRA CL, TCR-TSE 765
SITRA CUBE WL, TCR-TSE 809
SITRA L WL, UP/DOWN, ECKIG 809
SITRA M WL, UP/DOWN 809
SITRA S WL, SINGLE 807

SITRA S WL, UP/DOWN 807
SITRA WL, TCR-TSE 839
SITRA WL, UP/DOWN, TCR-TSE 839
SLOTBOX 40 POLE 721
SLOTBOX 70 POLE 721
SLOTS 45 POLE 719
SLOTS 65 POLE 719
SLVconnect® OVANA 44 PD, LED, ZIGBEE, TW 197
SMALL PLOT ABDECKUNG, 2ER 888
SMALL PLOT ABDECKUNG, 4ER 888
SMALL PLOT MODULE 888
SOLASTO EL, QUADRATISCH 893
SOLASTO EL, RUND 893
SOLID CUBE WL, QT14 354
SOMNILA FLEX WL, LINKS 358
SOMNILA FLEX WL, RECHTS 359
SOMNILA SPOT WL, LINKS 358
SOMNILA SPOT WL, RECHTS 358
SOPRANA CL, E27 157
SPOT 79 CW, QPAR51 385
SQUARE 30 POLE, E27 717
SQUARE 60 POLE, E27 717
SQUARE 90 POLE, E27 717
SQUARE TURN WL, G9 850
SQUARE WL, E27 824
STRIP SETS | STRIP S + DRIVER 612
SUN 20 CL, E27 126
SUN 20 PD, E27 182
SUN 30 CL, E27 126
SUN 30 PD, E27 182
SUN 40 PD, E27 182
SUN FL, G9 407
SUN MIRROR WL, QUAD 281
SUN MIRROR WL, TRIPLE 281
SUN TL, G9 407
SUN WL, DOUBLE, G9, ECKIG 287
SUN WL, G9, ECKIG 286
SUN WL, G9, GERUNDET 287
SUN WL, UP, G9, ECKIG 287
SYNA GARDEN SP 733
SYNA PLANT SP 733
SYNA SHADE SP, GU10 732
SYNA SP 733
SYNA WIDE SP 732

T

T-TUBE 70 POLE, GU10, DOUBLE 647
T-TUBE 70 POLE, GU10, DOUBLE, SENSOR 647
T-TUBE 70 POLE, GU10, SINGLE 647
T-TUBE 70 POLE, GU10, SINGLE, SENSOR 646
T-TUBE WL GU10, DOUBLE 789
T-TUBE WL GU10, DOUBLE, SENSOR 789
T-TUBE WL GU10, SINGLE 789
T-TUBE WL GU10, SINGLE, SENSOR 788
TAHA II 45 POLE, PHASE 698
TAHA II 70 POLE , SENSOR 699
TAHA II 70 POLE, PHASE 698
TAHA II 90 POLE , SENSOR 699
TAHA II 90 POLE, PHASE 698
TAHA II WL, PHASE 830
TAHA II WL, SENSOR 830
TELESKOP LV, QR-C51 475
TENORA CL, E27 157
TERANG 200 CW 861
THEO BRACKET CW 856
THEO BRACKET SP 749
THEO PATHLIGHT 73 POLE, DOUBLE 729
THEO PRO L WL, SINGLE, DALI P1 799
THEO PRO L WL, SINGLE, DALI P2 801
THEO PRO L WL, UP/DOWN, DALI P1 799
THEO PRO L WL, UP/DOWN, DALI P2 801
THEO PRO S WL, SINGLE, DALI P1 798
THEO PRO S WL, SINGLE, DALI P2 798
THEO PRO S WL, UP/DOWN, DALI P1 798
THEO PRO S WL, UP/DOWN, DALI P2 799
THEO UP/DOWN WL, QPAR51 354, 795
THEO WL, QPAR51 796
TODAY PRO DISPLAY 850
TRAIL-LITE® 60 EL 886
TRAIL-LITE® 60 POWER SUPPLY 887
TRAIL-LITE® 60 SET EL 886
TRAIL-LITE® 60 SINGLE EL 886
TRILEDO CL CL, DOUBLE, QUADRATISCH 128
TRILEDO CL, DOUBLE, QUADRATISCH, QPAR51 129
TRILEDO CL, SINGLE, QUADRATISCH 128
TRILEDO CL, SINGLE, QUADRATISCH, QPAR51 129
TRILEDO CL, SINGLE, RUND 128
TRILEDO CL, SINGLE, RUND, QPAR51 129
TRUKKO 60 WL 315
TRUKKO 80 WL, RUND 315
TRUKKO 90 WL 315
TRUKKO WL, RUND 314
TRUKKO WL,RECHTECKIG 314
TRUST 30 POLE 711
TRUST 60 POLE 711

U

UNIVERSAL 68 DL, PHASE 64
UNIVERSAL DOWNLIGHT COVER, SCHWENKBAR, QUADRATISCH, IP20 13
UNIVERSAL DOWNLIGHT COVER, SCHWENKBAR, RUND, IP20 13
UNIVERSAL DOWNLIGHT COVER, STARR, QUADRATISCH, IP65 13
UNIVERSAL DOWNLIGHT COVER, STARR, RUND, IP65 13
UNIVERSAL DOWNLIGHT FIX RL, LED, PHASE, IP65 12
UNIVERSAL DOWNLIGHT MOVE RL, LED, PHASE 12
UNIVERSAL DOWNLIGHT SLIM RL, PHASE 12
UNIVERSAL TRACKSPOT 3PH. L, 24/28/32/36W 927/930/940 24°...60° 583
UNIVERSAL TRACKSPOT 3PH. M, 12/16/20/24W 927/930/940 24°...60° 583

V

VAP SLIM 30 POLE, E27 714
VAP SLIM 60 POLE, E27 714
VAP SLIM 90 POLE, E27 714
VARU EL, QPAR51 113
VARYT CL, E14 127
VARYT GLASSCHIRM DIAMANT 127, 179, 285, 401
VARYT GLASSCHIRM KUGEL 127, 179, 285, 401
VARYT GLASSCHIRM LINIE 127, 179, 285, 401
VARYT GLASSCHIRM PLISSEE´ 127, 179, 285, 401
VARYT PD, E14 179
VARYT TL, E14 401
VARYT WL, E14 285
VERLUX EL, QUADRATISCH, PHASE 104
VILUA L WL 837
VILUA S WL 837
VILUA WL, UP/DOWN 837

W

WALLYX WL, QPAR51 840
WL 106 E14 318, 319
WL 149 WL, PHASE 347
WL 149 WL, QT-DE12 347
WORKLIGHT EASY FL 940 417
WORKLIGHT FL 417
WORKLIGHT PD, DALI 251
WORKLIGHT PRO 120 PD, DALI 251
WORKLIGHT PRO 150 PD, DALI 251
WORKLIGHT PRO FL, DOUBLE 419
WORKLIGHT PRO FL, SINGLE 419
WORKLIGHT TL 417
WORO EL 121
WUD PD, E27, CYLINDRICAL 181
WUD PD, E27, HALF ROUND 181
WUD TL, E27 CYLINDRICAL 399
WUD WL, E27 CYLINDRICAL 343

ZUBEHÖR

48V SYSTEM ROUND COVER PLATE R80 MM 919
48V SYSTEM SQUARE COVER PLATE 86 MM X 86 MM 919
BOX RELAY DALI 909
CEILING OUTLET DIMMER ZIGBEE 3.0 909
CONNECTION BOX 5-POLIG, DALI 919
CONTROLER LED STRIP CCT / RGBW 910
CONTROLLER DALI, DT8 5 CHANNEL 917
DALI INTERFACE 1-10V + ON/OFF 908
DALI INTERFACE PUSH DIMM / DALI PCU TW G2 909
FERNBEDIENUNG ZIGBEE, CCT/RGBW 917
FITU DECKENHAKEN 918
FITU KABELKLEMME 918
GU10 FASSUNG 918
GU10 LED CONNECTION BOX MIT SOCKEL, MAX. 10W 918
KONVERTER DALI -> PHASE DIM 908
LED NETZTEIL 100W | 24V DC DALI DIMMBAR INKL. ZUGENTLASTUNG 912
LED NETZTEIL 100W | 24V DC INKL. ZUGENTLASTUNG 911
LED NETZTEIL 12V | 24W, RUND 910
LED NETZTEIL 12V AC | 50VA KONVENTIONELL 908
LED NETZTEIL 150W | 24V DC DALI DIMMBAR INKL. ZUGENTLASTUNG 912
LED NETZTEIL 150W | 24V DC INKL. ZUGENTLASTUNG 911
LED NETZTEIL 24V | 24W 910
LED NETZTEIL 24V | 25W, RUND 911
LED NETZTEIL 24V | 36W 910
LED NETZTEIL 24V | 60W 910
LED NETZTEIL 250W | 24V DC DALI DIMMBAR INKL. ZUGENTLASTUNG 912
LED NETZTEIL 250W | 24V DC INKL. ZUGENTLASTUNG 911
LED NETZTEIL 25W | 24V 911
LED NETZTEIL 30W | 24V DC | DALI DIMMBAR INKL. ZUGENTLASTUNG 912
LED NETZTEIL 30W | 24V DC INKL. ZUGENTLASTUNG 911
LED TREIBER 10W | 180-270MA PHASE 914
LED TREIBER 10W | 500-700MA PHASE 914
LED TREIBER 10W |350MA RUND 913
LED TREIBER 15W | 100-700MA DALI 915

LED TREIBER 15W | 200-350MA PHASE ____ 915
LED TREIBER 15W | 700MA RUND _____ 913
LED TREIBER 20 W | 350MA _____ 913
LED TREIBER 20W | 350-500MA PHASE ____ 915
LED TREIBER 20W | 350MA PHASE _____ 914
LED TREIBER 20W | 350MA/500MA
PHASE _____ 914
LED TREIBER 21W | 150-500MA _____ 913
LED TREIBER 21W | 500MA
INKL. ZUGENTLASTUNG_____ 914
LED TREIBER 23W | 100-700MA DALI _____ 916
LED TREIBER 25W | 150-700MA
DALI DIMMBAR_____ 915
LED TREIBER 30W | 500-700MA PHASE ____ 915
LED TREIBER 36W | 100-900MA DALI _____ 916
LED TREIBER 40W | 700-1050MA PHASE ___ 915
LED TREIBER 44W | 700-1050MA_____ 914
LED TREIBER 4W | 350MA _____ 913
LED TREIBER 4W | 700MA _____ 913
LED TREIBER 53W | 650-1400MA DALI _____ 916
NETZTEIL 100W | 24V DC_____ 912
NETZTEIL 50W | 24V _____ 912
NOTLICHTELEMENT DALI 2 _____ 917
SLVconnect®
BOX RELAY ZIGBEE 3.0 _____ 909
SLVconnect®
BOX G2 DIMMER ZIGBEE 3.0_____ 909
SLVconnect®
DIN DIMMER ZIGBEE 3.0 _____ 909
SLVconnect®
SWITCH WIRELESS 5 BUTTON
WHITE ZIGBEE 3.0 _____ 910
TENSEO 12V AC | 105VA
KONVENTIONELL _____ 908
TENSEO 12V AC | 210VA
KONVENTIONELL _____ 908
TENSEO 12V AC | 50VA
KONVENTIONELL _____ 908
TEXTILKABEL 10 M _____ 918
VERBINDUNGSBOX IP68, 3-POLIG_____ 919
VERBINDUNGSBOX IP68, 5-POLIG_____ 919
VERBINDUNGSBOX Y IP68, 3-POLIG_____ 919
ZUGENTLASTUNG _____ 916
ZUGENTLASTUNG
DURCHVERDRAHTBAR_____ 916, 917
ZUGENTLASTUNG STANDARD _____ 917



SUN
1009144

SYMBOLERKLÄRUNG

Empfehlungen
Zeigt Zubehör- und Leuchtmittelempfehlungen der jeweiligen Produkte

Mix & Match
Kennzeichnet individuell kombinierbare Produkte

Energieeffizienzklasse
„Diese Leuchte ist geeignet für Leuchtmittel der Energieeffizienklassen ...“

Schutzklassen
- Schutzklasse I / Schutzleiter
- Schutzklasse II / Schutz durch doppelte oder verstärkte Isolierung
- Schutzklasse III / Schutz durch Kleinspannung

Dimmbar mit:
- **C** = Phasenabschnittsdimmer
- **L** = Phasenanschnittsdimmer
- **Uni** = Universaldimmer
- **1–10 V**
- **Dali** = Dali Bussystem
- **Switch** = Schalter/Taster bzw. Touch Control an der Leuchte
- **Touch** = Einfache, stufenlose Bedienung; reagiert auf Berührung

IP-Schutzart:
Gibt die Eignung elektrischer Betriebsmittel für verschiedene Umgebungsbedingungen an.

IK-Stoßfestigkeitsgrad:
Der IK-Stoßfestigkeitsgrad ist ein Maß für die Widerstandsfähigkeit von Gehäusen elektrischer Betriebsmittel gegen mechanische Beanspruchung, insbesondere Stoßbeanspruchung.

Halbstreuwinkel:
Beschreibt den Ausstrahlungswinkel in Grad. Je kleiner der Winkel desto stärker wird das Licht gebündelt.

Dreh- und Schwenkbarkeit in Grad:
- Drehbereich
- Schwenkbereich
- Kardanisch

Lichtstromerhalt:
Beschreibt, um wie viel der Lichtstrom einer LED im angegebenen Zeitraum abnimmt.

Unified **G**lare **R**ating:
Je niedriger der UGR-Wert, desto geringer die psychologische Blendung.

Pendelkabellänge
in cm

Kabellänge:
Netzsteckern, Konnektoren und Zuleitungen (bei offenem Kabelende) in cm

Durchverdrahtung möglich

Form der Einbauöffnung

Angabe der Einbautiefe

Überfahrbarkeit
des Produktes gegeben

Gewichtsbelastbarkeit des Produkts bis zum angegebenen Wert in Tonnen. Messungen basieren auf Betoneinbau.

Seeluftbeständige Beschichtung

Unabhängiger Konverter:
Betriebsgerät auch zur Verwendung außerhalb von Leuchten

Kurzschlussfestes Sicherheitsbetriebsgerät

Lichtfarbtemperatur in Kelvin (K)

Lichtstrom in Lumen (lm)

Dark Sky
Gibt an, dass die Leuchte nahezu kein Licht in den oberen Halbraum abstrahlt (ULOR < 2 %). Reduziert Lichtverschmutzung und sorgt für eine gezielte, bedarfsgerechte Ausleuchtung der Nutzfläche

Primary/Replica
Kennzeichnet Leuchten mit integrierter Primary/Replica-Funktion. Eine Sensorleuchte (Primary) steuert über eine geschaltete Phase nachgelagerte Leuchten (Replica), wodurch eine einfache, vernetzte Lichtsteuerung ohne zusätzliche Bus- oder Steuersysteme möglich ist.

Connected Lighting:
Kennzeichnet smarte Produkte, die folgende Protokolle verwenden:
- Zigbee®
- DALI
- Bluetooth

Erlaubt die Montage eines elektrischen Betriebsgeräts auf Werkstoffen, deren Entflam - verhalten nicht bekannt ist.

CCT-Schalter:
Mittels eingebautem CCT-Schalter kann die Lichtfarbe bei der Installation von 2700 K, 3000 K, 4000 K auf 6500 K gewechselt werden.

Dim-to-Warm:
Durch das Dimmen verändert sich die Lichtfarbe von kaltweiß zu warmweiß.

Kennzeichnet Leuchten mit RGB+W und RGB
(Rot-Grün-Blau + Weiß und Rot-Grün-Blau)

Kennzeichnet Leuchten mit Bewegungsmelder
(Mikrowellen (MR)-Technik / Infrarot / Funk)

- Produkte mit eingebauten LEDs

- Produkte mit Lampenfassung

KS Licht – Ihre lichttechnische Großhandlung aus Essen

Kontakt, Service und Informationen für Kunden
BIG WHITE 2027

Direkt verbunden mit Sortiment, Beratung und Projektservice

Im KS Multi Brand Business Onlineshop finden Sie aktuelle Produkte, Neuheiten und Angebote sowie Informationen, die Sie bei Beratung, Angebot und Projektabwicklung unterstützen:

- Onlineprüfung der Warenverfügbarkeit
- Kataloge, Blätterkataloge und Produktlinks
- technische Daten, Ausschreibungstexte, Lichtverteilungskurven und LDT-Dateien
- Ersatzteile bequem finden und bestellen
- Anzeige Ihrer individuellen Konditionen, Liefer- und Zahlungsbedingungen
- passende Produktempfehlungen, Varianten und Alternativprodukte
- direkter Kontakt zu unserem Verkaufsteam

Kundeninformationen

Alle Preise verstehen sich netto zuzüglich der gesetzlichen Mehrwertsteuer. Die angegebenen Verkaufspreise sind Preisempfehlungen. Mit Erscheinen dieses Katalogs verlieren vorherige Preislisten ihre Gültigkeit.
Abbildungen, Farben, Formen, Ausführungen und technische Daten dienen der Veranschaulichung und sind unverbindlich. Änderungen und Irrtümer vorbehalten.
Der Versand erfolgt generell unfrei ab Werk.
Bei Bestellungen unter 70,00 € Nettowarenwert wird ein Mindermengenzuschlag von 8,00 € berechnet.

Bestellung & Lieferung

Bitte geben Sie bei Bestellungen stets Artikelnummer, Farbe und Stückzahl an. Das reduziert Rückfragen und beschleunigt die Bearbeitung.
Express- und Direktlieferungen sind auf Anfrage möglich.
Sonderanfertigungen, auf Kundenwunsch zusammengestellte Komponenten sowie Lampen sind vom Umtausch ausgeschlossen.
Es gelten unsere Allgemeinen Geschäftsbedingungen, abrufbar unter www.ks-germany.com/de/agb.

Kontakt

KS Licht- und Elektrotechnik GmbH
Manderscheidtstraße 8 C
45141 Essen
Germany

Verkauf & Service
Tel.: +49 (0)201-89924-0
verkauf@ks-germany.com

Online
profishop.online
ks-germany.com

Pflichtangaben

KS Licht- und Elektrotechnik GmbH · Sitz der Gesellschaft: Essen · Geschäftsführer: Kai Becker
Registergericht: Amtsgericht Essen · Handelsregister: HRB 12736 · Steuer-Nr.: 111/5708/2689 ·
USt-IdNr.: DE190673411

Profishop für SLV Leuchten

KS Licht- und Elektrotechnik GmbH
Manderscheidtstraße 8 c
45141 Essen
Germany

Tel.: +49 (0)201-89924-0

B2B-Shop: **profishop.online**
Website: www.ks-germany.com
E-Mail: verkauf@ks-germany.com

Öffnungszeiten
Montag - Donnerstag 08:00 - 16:30 Uhr
Freitag 08:00 - 15:00 Uhr